

# Lynch MANIFOLDS & VALVE PACKS

## D05 Cover Plates

<p><b>Circuit - "XXXX"</b> Optional gauge port</p> <p>Dimensions: 2.50, 1.91, 1.50, 3.00, .97</p> <p>UNC mounting kit includes: 4 - 1/4"-20 x 1.50" SHCS 5 - 014 O-ring viton 1 - Plug (with gauge option)</p> <p>Metric mounting kit includes: 4 - M6-1.0 x 35mm SHCS 5 - 014 O-ring viton 1 - Plug (with option)</p>	<p><b>Circuit - "PABT"</b> Optional gauge port</p> <p>Dimensions: 2.50, 1.91, 1.50, 3.00, 1.25</p> <p>UNC mounting kit includes: 4 - 1/4"-20 x 1.75" SHCS 1 - 014 O-ring viton 2 - 022 O-ring viton 1 - Plug (with gauge option)</p> <p>Metric mounting kit includes: 4 - M6-1.0 x 45mm SHCS 1 - 014 O-ring viton 2 - 022 O-ring viton 1 - Plug (with gauge option)</p>
<p><b>Circuit - "PBAT"</b> Optional gauge port</p> <p>Dimensions: 2.50, 1.91, 1.50, 3.00, 1.25</p> <p>UNC mounting kit includes: 4 - 1/4"-20 x 1.75" SHCS 1 - 014 O-ring viton 2 - 022 O-ring viton 1 - Plug (with gauge option)</p> <p>Metric mounting kit includes: 4 - M6-1.0 x 45mm SHCS 1 - 014 O-ring viton 2 - 022 O-ring viton 1 - Plug (with gauge option)</p>	<p><b>Circuit - "PTXX"</b> Optional gauge port</p> <p>Dimensions: 2.50, 1.91, 1.50, 3.00, .97 (1.25 for Gauge Port)</p> <p>UNC mounting kit includes: 4 - 1/4"-20 x 1.50" (1.75") SHCS 5 - 014 O-ring viton 1 - Plug (with gauge option)</p> <p>Metric mounting kit includes: 4 - M6-1.0 x 35mm (45mm) SHCS 5 - 014 O-ring viton 1 - Plug (with gauge option)</p>

6 COVER PLATES

### PART NUMBER SYSTEM

D05 Aluminum Cover Plate with All Ports Blocked & No Gauge Port Example : CPA05GXXXXAAXU

TYPE	MATERIAL	VALVE PATTERN	CIRCUIT CODE	GAUGE PORT CODE	LOCATION OF GAUGE PORTS	MOUNTING																																							
CP Cover Plate	A Aluminum D Ductile Iron	05G ISO 4401-05-04 NFPA T3.5.1 - D05	<table border="1"> <tr><th>CODE</th><th>CIRCUIT</th></tr> <tr><td>XXXX</td><td>All Ports Blocked</td></tr> <tr><td>PABT</td><td>P Connected to A, B Connected to T</td></tr> <tr><td>PBAT</td><td>P Connected to B, A Connected to T</td></tr> <tr><td>PTXX</td><td>P Connected to T</td></tr> </table>	CODE	CIRCUIT	XXXX	All Ports Blocked	PABT	P Connected to A, B Connected to T	PBAT	P Connected to B, A Connected to T	PTXX	P Connected to T	<table border="1"> <tr><th>CODE</th><th>TYPE</th><th>SIZE</th></tr> <tr><td>AA</td><td>None</td><td>None</td></tr> <tr><td>SC</td><td>SAE</td><td>6</td></tr> <tr><td>NB</td><td>NPTF</td><td>1/4"</td></tr> <tr><td>BB</td><td>BSPP</td><td>1/4"</td></tr> <tr><td>TB</td><td>BSPT</td><td>1/4"</td></tr> <tr><td>MB</td><td>Metric</td><td>M10</td></tr> </table>	CODE	TYPE	SIZE	AA	None	None	SC	SAE	6	NB	NPTF	1/4"	BB	BSPP	1/4"	TB	BSPT	1/4"	MB	Metric	M10	<table border="1"> <tr><td>X</td><td>None</td></tr> <tr><td>P</td><td>P Port</td></tr> </table>	X	None	P	P Port	<table border="1"> <tr><td>U</td><td>UNC Std for SAE &amp; NPT</td></tr> <tr><td>M</td><td>Metric Std for BSP* &amp; Metric</td></tr> </table>	U	UNC Std for SAE & NPT	M	Metric Std for BSP* & Metric
CODE	CIRCUIT																																												
XXXX	All Ports Blocked																																												
PABT	P Connected to A, B Connected to T																																												
PBAT	P Connected to B, A Connected to T																																												
PTXX	P Connected to T																																												
CODE	TYPE	SIZE																																											
AA	None	None																																											
SC	SAE	6																																											
NB	NPTF	1/4"																																											
BB	BSPP	1/4"																																											
TB	BSPT	1/4"																																											
MB	Metric	M10																																											
X	None																																												
P	P Port																																												
U	UNC Std for SAE & NPT																																												
M	Metric Std for BSP* & Metric																																												

WE RESERVE THE RIGHT TO DISCONTINUE MODELS, OR CHANGE SPECIFICATIONS WITHOUT NOTICE OR INCURRING OBLIGATION

Lynch Products Can Be Modified to Suit Your Application



**NFPA**  
Solutions through motion technology  
MEMBER

